None

e. Relevant substance abuse history:
None other than occasional alcohol use.

f. Other, if any:
No response provided.

3. PTSD Diagnostic Criteria

Please check criteria used for establishing the current PTSD diagnosis. The diagnostic criteria for PTSD, are from the Diagnostic and Statistical Manual of Mental Disorders, 5th edition (DSM-5). The stressful event can be due to combat, personal trauma, other life threatening situations (non-combat related stressors). Do NOT mark symptoms below that are clearly not attributable to the Criterion A stressor/PTSD. Instead, overlapping symptoms clearly attributable to other things should be noted under #6 - "Other symptoms".

Criterion A: Exposure to actual or threatened a) death, b) serious injury, c) sexual violence, in one or more of the following ways:

[X] Witnessing, in person, the traumatic event(s) as they occurred to others

Criterion B: Presence of (one or more) of the following intrusion symptoms associated with the traumatic event(s), beginning after the traumatic event(s) occurred:

[X] Recurrent, involuntary, and intrusive distressing memories of the traumatic event(s).
[X] Recurrent distressing dreams in which the content and/or affect of the dream are related to the traumatic event(s).
[X] Dissociative reactions (e.g., flashbacks) in which the individual feels or acts as if the traumatic event(s) were recurring. (Such reactions may occur on a continuum, with the most extreme expression being a complete loss of awareness of present surroundings).
[X] Intense or prolonged psychological distress at exposure to internal or external cues that symbolize or resemble an aspect of the traumatic event(s).
[X] Marked physiological reactions to internal or external cues that symbolize or resemble an aspect of the traumatic